

Vanity Lights

Project: _____ Location: _____ Type: _____

Model Number: _____ Qty: _____ Notes: _____ Date: _____



GLI-VLGS

Vanity Lights

GOled vanity lights series are the premium choice for bathrooms. Their design also makes them suitable for ambient decorative, and accent lighting in hotel lobbies, offices, receptions, wellness centers and condo lobbies. Each light creates a unique, sophisticated, lighting environment that can easily be integrated in modern architectural designs.

Features and Specifications

- Long life LED provide excellent illumination with a pleasant light
- Integrated Driver on Board design
- Straightforward installation, new or retrofit
- Virtually no maintenance required
- Flicker & noise free LEDs
- UV/IR radiation free
- Ideal product to replace conventional fixtures
- Suitable for use in damp locations
- Dimmable driver enables smooth dimming, compatible with a wide range of dimmers (100% - 10% dimmers)
- CCTs available: 2700K, 3000K, 3500K, 4000K, 5000K, 6500K

Certifications

- cETLus certified
- Damp location rated

Warranty

- 3 years warranty
- Estimated lifespan of over 36 000 hours

SPECIFICATIONS

LED Bath Vanity Light

BN + Glass



GLI-VLGS-VT44-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
24 - 24 ^{3/4} " X 4 ^{3/4} " X 2 ^{3/4} "	24W	YES	1800	80/90	120V

LED Bath Vanity Light

BN + Polycarbonate




GLI-VLGS-VT49-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
10 - 10 ^{1/4} " X 5" X 2 ^{1/2} "	10W	YES	500	80/90	120V
25 - 25 ^{1/4} " X 5" X 2 ^{1/2} "	38W	YES	2000	80/90	120V
32 - 32 ^{1/4} " X 5" X 2 ^{1/2} "	48W	YES	2600	80/90	120V

LED Bath Vanity Light

BN + Acrylic

WH/BN/ORB



GLI-VLGS-VT38-22-CR-CCT

DIMENSION	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
22 ^{1/2} " X 3 ^{1/2} " X 3 ^{1/2} "	22W	YES	1100	80/90	120V

Vanity Lights

LED Bath Vanity Light

BN + Acrylic
WH/BN/ORB



GLI-VLGS-VT39-24-CR-CCT

DIMENSION	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
24" X 6" X 4"	18W	YES	1000	80/90	120V

LED Bath Mirror Front Light

CH/WH/BN/ORB + Acrylic



GLI-VLGS-VT24-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
24 - 24 ^{3/4} " X 4 ^{1/2} " X 4 ^{3/4} "	20W	YES	1100	80/90	120V
36 - 36 ^{3/4} " X 4 ^{1/2} " X 4 ^{3/4} "	28W	YES	1400	80/90	120V
48 - 48 ^{3/4} " X 4 ^{1/2} " X 4 ^{3/4} "	35W	YES	1800	80/90	120V

LED Bath Vanity Light

CH/WH/BN/ORB + Acrylic



GLI-VLGS-VT11-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
24 - 24 ^{3/4} " X 4 ^{1/2} " X 4 ^{3/4} "	18W	NO	1260	80/90	120V
25 - 25" X 6" X 4"	24W	NO	1680	80/90	120V
36 - 36" X 6" X 4"	28W	NO	2000	80/90	120V
48 - 48" X 6" X 4"	35W	NO	2500	80/90	120V

Vanity Lights

LED Bath Vanity Light

CH/WH/BN/ORB + Acrylic



GLI-VLGS-VT48-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
18 - 18" X 6" X 4"	18W	YES	1260	80/90	120V
24 - 24" X 6" X 4"	24W	YES	1680	80/90	120V
36 - 36" X 6" X 4"	28W	YES	2000	80/90	120V
48 - 48" X 6" X 4"	35W	YES	2500	80/90	120V

LED Bath Vanity Light

WH/BN/ORB + Glass



GLI-VLGS-VT30-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
4 - 4 ¹ / ₂ " X 10 ¹ / ₂ " X 6 ³ / ₄ "	8W	NO	560	80/90	120V
12 - 12" X 8 ³ / ₄ " X 7"	15W	NO	1050	80/90	120V
19 - 19 ¹ / ₂ " X 8 ³ / ₄ " X 7"	30W	NO	2100	80/90	120V
27 - 27" X 8 ³ / ₄ " X 7"	40W	NO	2800	80/90	120V

Vanity Lights

LED Bath Vanity Light

BN + Opal Glass



GLI-VLGS-VT01-DI-CR-CCT

DIMENSION(DI)	POWER	DIMMABLE	LUMENS	CRI(CR)	VOLTAGE
7 - 7" X 7" X 6"	8.5W	NO	600	80/90	120V
24 - 24" X 7" X 6"	25W	NO	1750	80/90	120V
30 - 30" X 7" X 6"	30W	NO	2100	80/90	120V