

Step Light Surface

Project: _____ Location: _____ Type: _____

Model Number: _____ Qty: _____ Notes: _____ Date: _____



GLI-SLSA

Step Light Surface

The GOLED Step Light Surface is a rugged contemporary stair light designed for indoor and outdoor installation. Extra elements protection ensures the product will perform long term without showing signs of weathering.

Features and Specifications

- Die cast aluminum construction
- Stainless steel hardware
- Impact resistant tempered glass
- 3mils thermoset powder coat finish provides superior resistance to corrosion and weathering
- Low profile, surface mounted
- Wattage and LUX: 12W(327 Luminaire Flux)
- 80CRI

Certifications

- cETLus Listed
- Damp and wet location rated

Warranty


- 5 years warranty
- Estimated lifespan of over 50 000 hours





Overview

Light source	LED
Watts (W)	12W
Voltage	120V-277V
Lumen output (LUX)	327LUX
Efficiency (LUX/W)	32LUX/W+
Color temperature (K)	3000K, 4000K, 6000K
CRI	80+CRI

Step Light Surface

PRODUCT	DIMENSIONS	DESCRIPTION	
GLI-SLSA-2003		WATTAGE	12W
		LUMENS	327 Luminaire Flux
		HOUSING	Die-Cast Aluminum
		GASKET	Silicone Rubber
		LED OPTIC	Tempered Glass
		SURFACE FINISH	Powder Coated
		DRIVER TYPE	Constant Current
		INPUT VOLTAGE	120~277V/AC
		AMBIENT TEMPERATURE	-20°C~45°C
		BEAM ANGLE	Asymmetric
		INGRESS PROTECTION	IP65
		CERTIFICATIONS	cETLus

PRODUCT	DIMENSIONS	DESCRIPTION	
GLI-SLSA-2004		WATTAGE	12W
		LUMENS	327 Luminaire Flux
		HOUSING	Die-Cast Aluminum
		GASKET	Silicone Rubber
		LED OPTIC	Tempered Glass
		SURFACE FINISH	Powder Coated
		DRIVER TYPE	Constant Current
		INPUT VOLTAGE	120~277V/AC
		AMBIENT TEMPERATURE	-20°C~45°C
		BEAM ANGLE	Asymmetric
		INGRESS PROTECTION	IP65
		CERTIFICATIONS	cETLus

Step Light Surface

ORDERING GUIDE

SERIES	PRODUCT CODE	CCT	FINISH	CONTROL	BAFFLE
GLI-SLSA					
	2003	30K - 3000K	BK - Black	ND - No dimming	BS - Smooth baffle
	2004	40K - 4000K	WH - White	DM - 0-10V Dimming	BF - Stepped baffle
		60K - 6000K	GR - Gray		
			MB - Mineral bronze		
			SI - Silver		

OPTIONS

APPEND REQUIRED CODES

MG - Marine grade hardware